













bundle

unitize

warehouse transport



Equipment

Flex, Flex Eco, Flex Plastic & Eco Protector

Light weight & operator friendly

Light weight, easy and simple to use. Inflation equipment designed with the user in mind.

Reliable performance

Made from durable materials for use in an industrial environment.

Suitable for various applications

Various spares and accessories available to suit inflation of the various airbags.

Fast & simple inflation

Quick and easy to connect to your air source. Range of inflators for fast and simple inflation.



BATES INFLATION EQUIPMENT

Flex, Flex Eco, Flex Plastic & Eco Protector











pack

bund

e warehouse t

We recommend that you always use the original filling equipment to inflate Bates Cargo-Pak airbags. Inflation times are shown on the separate datasheets for each type of airbag.

The choice of inflation equipment, hose dimensions and length of hose all have an influence on the filling time.

Benefits and features


- Automatic closure to prevent leakage
 The big advantage with our patented valve
 is that it closes automatically after inflation.
 Furthermore it can turn 360° so it is possible
 to inflate it from all angles, which makes the
 Flex-system very suitable for narrow gaps.
- Air release for quick adjustments Bates Flex inflator is available with an airrelease. The advantage of the air-release is that it is possible to let out air after inflation, then the airbag can be replaced if needed.
- Improved ease of use Bates Flex inflator is available with a click-on system which makes it possible to lock the inflator to the airbag so you can inflate using one hand. After inflation the inflator is released by a small push on the 'lock'.

Compressed air

All types of compressors can be used to inflate Bates Cargo-Pak airbags. The compressor and tank capacity should be determined based on the need and actual use of the airbags.

The demand on the compressor and tank depends on:

- The number of airbags to be filled.
- The size of airbag. The gaps between the cargo.
- The required filling time.



Flex inflator c/w air release



Flex air release valve

Bates Standard Inflator

- Ensures an optimal and quick filling time.
- Very easy to connect to the hose with the snap couplings.
- Supplied as standard with snap coupling.
- Filling nozzles and other accessories can be ordered separately.
- Bates Flex Inflator is available with a manometer Ø40mm (scale 0-2,5bar) or Ø63mm (scale 0-1,0 bar)



Bates Flex inflator with click-on & air release

Item Number 096259

Bates Flex inflator with click-on, without air release

Item Number 096248



Bates Flex inflator with 80mm nozzle

Item Number 096048

Item Number 096056

Bates Flex inflator with 150mm nozzle



Bates Flex inflator with 150mm nozzle and air release

Item Number 096059





Bates Flex inflator fitted with Ø40mm manometer Item Number 096049

Bates Flex inflator fitted with Ø63mm manometer Item Number 096087

INFLATION EQUIPMENT













bundle

unitize warehouse transport

Accessories

Filling nozzles & handles

	Filling nozzle Flex inflator, aluminium 80mm Item Number 096040 Filling nozzle, Flex inflator, 150mm Item Number 096008
Masa	Handle for Flex inflator Item Number 096060
	Filling nozzle, Flex inflator, 150mm with air-release Item Number 096128
	Filling nozzle, Flex inflator, 80mm with click-on Item Number 096240
	Filling nozzle, Flex inflator, 150mm with click-on & air-release Item Number 096228

Couplings with and without valve

Hose connector for Flex inflator Item Number 096057
Male coupling for Standard/ Flex inflator & Quick inflator for quick change between different inflators Item Number 096069

Hose & connections

1/2" hose (50m) Item Number 096035 3/8" hose (50m) Item Number 096031
1/2" clip Item Number 096036 3/8" clip Item Number 096033

Certified Manufacturing Plant

ISO 9001 Quality Management System





Produced using sustainable energy





Distributor:



